

Euro stacking range of modular containers offer flexible storage and distribution.

○ 20002 / ES000204

Small Euro stacking container.
suitable for:

- small parts storage



Stacked
226mm

Technical specification

Ext. Dim.	200 x 150 x 118mm
Int. Dim.	165 x 115 x 108mm
Capacity	2 litres
Weight	0.23kg
Material	Polypropylene
Colour	Grey



○ 21005 / ES210004

Small Euro stacking container.
suitable for:

- small parts storage



Stacked
226mm

Technical specification

Ext. Dim.	300 x 200 x 118mm
Int. Dim.	257 x 159 x 108mm
Capacity	5 litres
Weight	0.42kg
Material	Polypropylene
Colour	Grey, red, blue



○ 21006 / ES100604

Half size Euro stacking container
designed to fit on standard pallets.
suitable for:

- automotive parts
- engineering parts
- electrical goods



Dolly
91005 /
DOJ90501

Lid
61020 /
LI610204



Stacked
138mm

Technical specification


Ext. Dim.	400 x 300 x 74mm
Int. Dim.	355 x 255 x 64mm
Capacity	6 litres
Weight	0.48kg
Material	Polypropylene
Colour	Grey, red



○ 21009 / ES210001

Perforated Euro stacking container
for maximum airflow.
suitable for:

- harvesting soft fruits
- storing meat
- handling small parts



Dolly
DO701901

Lid
61020 /
LI610204



Stacked
226mm

Technical specification

Ext. Top Dim.	400 x 300 x 118mm
Int. Base Dim.	355 x 255 x 105mm
Capacity	10 litres
Weight	0.66kg
Material	Polypropylene
Colour	Grey



○ 21010 / ES210104

Half size Euro stacking container designed to fit on standard pallets.

suitable for:

- automotive parts
- engineering parts
- electrical goods



Dolly
91005 /
DOJ90501

Lid
61020 /
LI610204



Stacked
226mm

Technical specification

Ext. Dim.	400 x 300 x 118mm
Int. Dim.	355 x 255 x 105mm
Capacity	10 litres
Weight	0.796kg
Material	Polypropylene
Colour	Grey, red, white




○ 21027 / ES102704

Half size Euro stacking container designed to fit on standard pallets.

suitable for:

- automotive parts
- engineering parts
- electrical goods



Dolly
DO701901

Lid
61020 /
LI610204



Stacked
340mm

Technical specification

Ext. Dim.	400 x 300 x 175mm
Int. Dim.	355 x 255 x 164mm
Capacity	15 litres
Weight	1.02kg
Material	Polypropylene
Colour	Grey, red, blue



○ 21020 / ES210204

Half size Euro stacking container designed to fit on standard pallets.

suitable for:

- automotive parts
- engineering parts
- electrical goods



Dolly
91005 /
DOJ90501

Lid
61020 /
LI610204



Stacked
460mm

Technical specification

Ext. Dim.	400 x 300 x 235mm
Int. Dim.	355 x 255 x 220mm
Capacity	20 litres
Weight	1.272kg
Material	Polypropylene
Colour	Grey, red, blue




○ 21026 / ES102606

Perforated Euro stacking container for maximum airflow.

suitable for:

- harvesting soft fruits
- storing meat
- handling small parts



Dolly
DO701901

Lid
61020 /
LI610204



Stacked
460mm

Technical specification

Ext. Dim.	400 x 300 x 235mm
Int. Dim.	355 x 255 x 220mm
Capacity	20 litres
Weight	1.19kg
Material	Polypropylene
Colour	Grey, red



○ 21030 / ES103004

Half size Euro stacking container designed to fit on standard pallets.

suitable for:

- automotive parts
- engineering parts
- electrical goods



Dolly
91005 /
DOJ90501

Lid
61020 /
LI610204



Stacked
628mm

Technical specification

Ext. Dim.	400 x 300 x 319mm
Int. Dim.	355 x 255 x 300mm
Capacity	30 litres
Weight	1.77kg
Material	Polypropylene
Colour	Grey



○ 21008 / ES100804

Euro stacking container designed to fit on standard pallets.

suitable for:

- automotive parts
- engineering parts
- electrical goods



Dolly
DO701901

Lid
61060 /
LIR61004



Stacked
90mm

Technical specification

Ext. Dim.	600 x 400 x 50mm
Int. Dim.	355 x 355 x 40mm
Capacity	8 litres
Weight	0.795kg
Material	Polypropylene
Colour	Grey



○ 21013 / ES101304

Euro stacking container designed to fit on standard pallets.

suitable for:

- automotive parts
- engineering parts
- electrical goods



Dolly
91005 /
DOJ90501

Lid
61060 /
LIR61004



Stacked
138mm

Technical specification

Ext. Dim.	600 x 400 x 73mm
Int. Dim.	555 x 355 x 62mm
Capacity	12 litres
Weight	1.08kg
Material	Polypropylene
Colour	Grey, red



○ 21014 / ES101401

Perforated Euro stacking container for maximum airflow.

suitable for:

- harvesting soft fruits
- storing meat
- handling small parts



Dolly
91005 /
DOJ90501

Lid
61060 /
LIR61004



Stacked
138mm

Technical specification

Ext. Dim.	600 x 400 x 73mm
Int. Dim.	555 x 355 x 62mm
Capacity	12 litres
Weight	0.96kg
Material	Polypropylene
Colour	Grey




○ 21015 / ES101506

Euro stacking container designed to fit on standard pallets.

suitable for:

- automotive parts
- engineering parts
- electrical goods



Dolly
DO701901


Lid
61060 /
LIR61004



Stacked
138mm

Technical specification

Ext. Dim.	600 x 400 x 73mm
Int. Dim.	555 x 355 x 57mm
Capacity	12 litres
Weight	1.02kg
Material	Polypropylene
Colour	Grey



○ 03019 / ES301948

Perforated Euro stacking container for maximum airflow.

suitable for:

- harvesting soft fruits
- storing meat
- handling small parts



Dolly
DO701901



Stacked
230mm

Technical specification

Ext. Dim.	600 x 400 x 120mm
Int. Dim.	555 x 358 x 104mm
Capacity	20 litres
Weight	1.27kg
Material	HDPE
Colour	White



○ 20019 / ES001911

Perforated Euro stacking container for maximum airflow.

suitable for:

- harvesting soft fruits
- storing meat
- handling small parts



Dolly
91005 /
DOJ90501



Stacked
230mm

Technical specification

Ext. Dim.	600 x 400 x 120mm
Int. Dim.	555 x 358 x 104mm
Capacity	20 litres
Weight	1.17kg
Material	Polypropylene
Colour	Grey



○ 20016 / ES001611

Perforated Euro stacking container for maximum airflow.

suitable for:

- harvesting soft fruits
- storing meat
- handling small parts



Dolly
DO701901



Stacked
230mm

Technical specification

Ext. Dim.	600 x 400 x 120mm
Int. Dim.	555 x 358 x 104mm
Capacity	20 litres
Weight	1.1kg
Material	Polypropylene
Colour	Grey



○ 2A021 / ESA02104

Euro stacking container designed to fit on standard pallets.

suitable for:

- automotive parts
- engineering parts
- electrical goods



Dolly
91005 /
DOJ90501

Lid
61060 /
LIR61004



Stacked
226mm

Technical specification

Ext. Dim.	600 x 400 x 118mm
Int. Dim.	555 x 355 x 105mm
Capacity	21 litres
Weight	1.36kg
Material	Polypropylene
Colour	Grey, red, blue, white




○ 2A022 / ES102101

Perforated Euro stacking container for maximum airflow.

suitable for:

- harvesting soft fruits
- storing meat
- handling small parts



Dolly
DO701901

Lid
61060 /
LIR61004



Stacked
226mm

Technical specification

Ext. Dim.	600 x 400 x 118mm
Int. Dim.	555 x 355 x 105mm
Capacity	21 litres
Weight	1.11kg
Material	Polypropylene
Colour	Grey



○ 20028 / ES002804

Euro stacking container designed to fit on standard pallets.

suitable for:

- automotive parts
- engineering parts
- electrical goods



Dolly
91005 /
DOJ90501

Lid
61060 /
LIR61004



Stacked
290mm

Technical specification

Ext. Dim.	600 x 400 x 150mm
Int. Dim.	555 x 355 x 139mm
Capacity	28 litres
Weight	1.48kg
Material	Polypropylene
Colour	Grey




○ 20030 / ES003006

Perforated Euro stacking container for maximum airflow.

suitable for:

- harvesting soft fruits
- storing meat
- handling small parts



Dolly
DO701901

Lid
61060 /
LIR61004



Stacked
290mm

Technical specification

Ext. Dim.	600 x 400 x 150mm
Int. Dim.	555 x 355 x 139mm
Capacity	28 litres
Weight	1.38kg
Material	Polypropylene
Colour	Grey



○ 20029 / ES002901

Perforated Euro stacking container for maximum airflow.

suitable for:

- harvesting soft fruits
- storing meat
- handling small parts



Dolly
91005 /
DOJ90501

Lid
61060 /
LIR61004



Stacked
290mm

Technical specification

Ext. Dim.	600 x 400 x 150mm
Int. Dim.	555 x 355 x 139mm
Capacity	28 litres
Weight	1.25kg
Material	Polypropylene
Colour	Grey




○ 06032 / ES603201

Perforated Euro stacking container for maximum airflow.

suitable for:

- harvesting soft fruits
- storing meat
- handling small parts



Dolly
DO701901

Lid
61060 /
LIR61004



Stacked
330mm

Technical specification

Ext. Dim.	600 x 400 x 170mm
Int. Dim.	555 x 355 x 158mm
Capacity	32 litres
Weight	1.22kg
Material	Polypropylene
Colour	Grey



○ 21033 / ES103304

Euro stacking container designed to fit on standard pallets.

suitable for:

- automotive parts
- engineering parts
- electrical goods



Dolly
91005 /
DOJ90501

Lid
61060 /
LIR61004



Stacked
240mm

Technical specification

Ext. Dim.	600 x 400 x 175mm
Int. Dim.	555 x 355 x 164mm
Capacity	33 litres
Weight	1.7kg
Material	Polypropylene
Colour	Grey, red, blue




○ 21038 / ES103806

Euro stacking container designed to fit on standard pallets.

suitable for:

- automotive parts
- engineering parts
- electrical goods



Dolly
DO701901


Lid
61060 /
LIR61004



Stacked
240mm

Technical specification

Ext. Dim.	600 x 400 x 175mm
Int. Dim.	555 x 355 x 164mm
Capacity	33 litres
Weight	1.63kg
Material	Polypropylene
Colour	Grey



○ 2A035 / ESA03501

Perforated Euro stacking container for maximum airflow.

suitable for:

- harvesting soft fruits
- storing meat
- handling small parts



Dolly
91005 /
DOJ90501

Lid
61060 /
LIR61004



Stacked
376mm

Technical specification

Ext. Dim.	600 x 400 x 193mm
Int. Dim.	555 x 355 x 167mm
Capacity	35 litres
Weight	1.69kg
Material	Polypropylene
Colour	Grey



○ 2A049 / ES2A0405

Euro stacking container designed to fit on standard pallets.

suitable for:

- automotive parts
- engineering parts
- electrical goods



Dolly
DO701901

Lid
61060 /
LIR61004



Stacked
330mm

Technical specification

Ext. Dim.	600 x 400 x 235mm
Int. Dim.	555 x 355 x 220mm
Capacity	45 litres
Weight	2.18kg
Material	Polypropylene
Colour	Grey, red, blue, white



○ 2A046 / ES2A0406

Perforated Euro stacking container for maximum airflow.

suitable for:

- harvesting soft fruits
- storing meat
- handling small parts



Dolly
DO701901

Lid
61060 /
LIR61004



Stacked
460mm

Technical specification

Ext. Dim.	600 x 400 x 235mm
Int. Dim.	555 x 355 x 220mm
Capacity	45 litres
Weight	1.88kg
Material	Polypropylene
Colour	Red



○ 2A044 / ES2A0401

Ventilated sides and base, incorporates strapping facility for secure palletisation.



Dolly
91005 /
DOJ90501

Lid
61060 /
LIR61004



Stacked
460mm

Technical specification

Ext. Dim.	600 x 400 x 235mm
Int. Dim.	555 x 355 x 215mm
Capacity	45 litres
Weight	1.83kg
Material	Polypropylene
Colour	Grey




○ 2A045 / ES2A0404

Euro stacking container designed to fit on standard pallets.

suitable for:

- automotive parts
- engineering parts
- electrical goods



Technical specification

Ext. Dim.	600 x 400 x 235mm
Int. Dim.	555 x 355 x 220mm
Capacity	45 litres
Weight	2.18kg
Material	Polypropylene
Colour	Grey, red, blue, white




○ 21055 / ES105501

Perforated Euro stacking container for maximum airflow.

suitable for:

- harvesting soft fruits
- storing meat
- handling small parts



Technical specification

Ext. Dim.	600 x 400 x 280mm
Int. Dim.	555 x 355 x 255mm
Capacity	52 litres
Weight	2.18kg
Material	Polypropylene
Colour	Grey




○ 21054 / ES210504

Euro stacking container designed to fit on standard pallets.

suitable for:

- automotive parts
- engineering parts
- electrical goods



Technical specification

Ext. Dim.	600 x 400 x 280mm
Int. Dim.	555 x 355 x 265mm
Capacity	54 litres
Weight	2.51kg
Material	Polypropylene
Colour	Grey




○ 21060 / ES210605

Euro stacking container designed to fit on standard pallets.

suitable for:

- automotive parts
- engineering parts
- electrical goods



Technical specification

Ext. Dim.	600 x 400 x 319mm
Int. Dim.	555 x 355 x 300mm
Capacity	60 litres
Weight	2.75kg
Material	Polypropylene
Colour	Grey, red, white




○ 21063 / ES210604

Euro stacking container designed to fit on standard pallets.

suitable for:

- automotive parts
- engineering parts
- electrical goods



Technical specification

Ext. Dim.	600 x 400 x 319mm
Int. Dim.	555 x 355 x 300mm
Capacity	60 litres
Weight	2.88kg
Material	Polypropylene
Colour	Grey




○ 21061 / ES210606

Perforated Euro stacking container for maximum airflow.

suitable for:

- harvesting soft fruits
- storing meat
- handling small parts



Technical specification

Ext. Dim.	600 x 400 x 319mm
Int. Dim.	555 x 355 x 300mm
Capacity	60 litres
Weight	2.31kg
Material	Polypropylene
Colour	Grey, red




○ 20085 / ES200805

Euro stacking container designed to fit on standard pallets.

suitable for:

- automotive parts
- engineering parts
- electrical goods



Dolly
DO701901

Lid
61060 /
LIR61004



Stacked
814mm

Technical specification

Ext. Dim.	600 x 400 x 412mm
Int. Dim.	555 x 355 x 394mm
Capacity	75 litres
Weight	3.66kg
Material	Polypropylene
Colour	Grey



○ 20086 / ES200806

Perforated Euro stacking container for maximum airflow.

suitable for:

- harvesting soft fruits
- storing meat
- handling small parts



Dolly
91005 /
DOJ90501

Lid
61060 /
LIR61004



Stacked
814mm

Technical specification

Ext. Dim.	600 x 400 x 412mm
Int. Dim.	555 x 355 x 394mm
Capacity	75 litres
Weight	3.08kg
Material	Polypropylene
Colour	Grey



○ 20087 / ES008701

Perforated Euro stacking container for maximum airflow.

suitable for:

- harvesting soft fruits
- storing meat
- handling small parts



Dolly
DO701901

Lid
61060 /
LIR61004



Stacked
814mm

Technical specification

Ext. Dim.	600 x 400 x 412mm
Int. Dim.	555 x 355 x 394mm
Stacking Ht.	400mm
Capacity	75 litres
Weight	3.035kg
Material	Polypropylene
Colour	Grey



○ 21090 / ES210905

Euro stacking container designed to fit on standard pallets.

suitable for:

- automotive parts
- engineering parts
- electrical goods



Dolly
DO701901

Lid
61087 /
LI108704



Stacked
460mm

Technical specification

Ext. Dim.	800 x 600 x 235mm
Int. Dim.	755 x 555 x 205mm
Capacity	87 litres
Weight	3.85kg
Material	Polypropylene
Colour	Grey



○ 21092 / ES109206

Perforated Euro stacking container for maximum airflow.

suitable for:

- harvesting soft fruits
- storing meat
- handling small parts



Dolly
DO701901

Lid
61087 /
LI108704



Stacked
460mm

Technical specification

Ext. Dim.	800 x 600 x 235mm
Int. Dim.	755 x 555 x 205mm
Capacity	87 litres
Weight	3.47kg
Material	Polypropylene
Colour	Grey



○ 21091 / ES210901

Perforated Euro stacking container for maximum airflow.

suitable for:

- harvesting soft fruits
- storing meat
- handling small parts



Dolly
DO701901

Lid
61087 /
LI108704



Stacked
460mm

Technical specification

Ext. Dim.	800 x 600 x 235mm
Int. Dim.	755 x 555 x 205mm
Capacity	87 litres
Weight	3.33kg
Material	Polypropylene
Colour	Grey




○ 21135 / ES211305

Euro stacking container designed to fit on standard pallets.

suitable for:

- automotive parts
- engineering parts
- electrical goods



Technical specification

Ext. Dim.	800 x 600 x 319mm
Int. Dim.	755 x 555 x 295mm
Capacity	125 litres
Weight	4.65kg
Material	Polypropylene
Colour	Grey




○ 21136 / ES211306

Perforated Euro stacking container for maximum airflow.

suitable for:

- harvesting soft fruits
- storing meat
- handling small parts



Technical specification

Ext. Dim.	800 x 600 x 319mm
Int. Dim.	755 x 555 x 295mm
Capacity	125 litres
Weight	4.06kg
Material	Polypropylene
Colour	Grey




○ 21162 / ES211605

Euro stacking container designed to fit on standard pallets.

suitable for:

- automotive parts
- engineering parts
- electrical goods



Technical specification

Ext. Dim.	800 x 600 x 412mm
Int. Dim.	755 x 555 x 382mm
Capacity	162 litres
Weight	5.63kg
Material	Polypropylene
Colour	Grey




○ 21164 / ES211606

Perforated Euro stacking container for maximum airflow.

suitable for:

- harvesting soft fruits
- storing meat
- handling small parts



Technical specification

Ext. Dim.	800 x 600 x 412mm
Int. Dim.	755 x 555 x 382mm
Capacity	162 litres
Weight	4.99kg
Material	Polypropylene
Colour	Grey




○ 21163 / ES211601

Perforated Euro stacking container for maximum airflow.

suitable for:

- harvesting soft fruits
- storing meat
- handling small parts



Technical specification

Ext. Dim.	800 x 600 x 412mm
Int. Dim.	755 x 555 x 382mm
Capacity	162 litres
Weight	4.65kg
Material	Polypropylene
Colour	Grey

